## **CLAIMS**

- 1. (Currently Amended) An electric power assisted steering apparatus for a vehicle having a steering wheel and road wheels, comprising: a steering mechanism, which operatively connects [[a]] said steering wheel to [[the]] said road wheels of the vehicle; an electric motor operatively connected to [[the]] said steering mechanism; a torque sensing means sensor adapted to produce a first output signal indicative of the torque carried by a portion of [[the]] said steering mechanism; a vehicle speed sensing means sensor for producing a second output signal indicative of the speed of [[the]] said vehicle; a signal processing unit adapted to receive [[the]] said first signal and second signals signal and to produce a torque demand signal representative of a torque to be applied to [[the]] said steering mechanism by [[the]] said motor; and a motor drive stage adapted to provide a drive current to [[the]] said motor responsive to [[the]] said torque demand signal, in-which the wherein said apparatus includes torque limiting device means, arranged to limit the magnitude of [[the]] said torque to be applied to [[the]] said steering mechanism to a maximum of a value that increases in time from a first value to a second value at a rate that is dependent on [[the]] said second signal.
- 2. (Currently Amended) [[The]] <u>An</u> electric power assisted steering apparatus of claim 1 in which the wherein said torque limiting <u>device</u> means is arranged to limit the magnitude of [[the]] <u>said</u> torque when [[the]] <u>said</u> apparatus is powered-up.
- 3. (Currently Amended) [[The]] An electric power assisted steering apparatus of claim 1 or claim 2 further comprising a speed mapping device means, arranged to generate from [[the]] said vehicle speed a torque limit increase signal indicative of [[the]] a rate at which [[the]] said torque limit is to increase.

- 4. (Currently Amended) [[The]] An electric power assisted steering apparatus of claim 3 in which wherein said the torque limit increase rate for a first vehicle speed is higher than [[the]] said torque limit increase rate at a second, higher, vehicle speed.
- 5. (Currently Amended) [[The]] An electric power assisted steering apparatus of claim 3 or claim 4 in which the wherein said speed mapping device means determines the torque limit increase rate between [[the]] said first speed and second speeds by interpolation.
- 6. (Currently Amended) [[The]] An electric power assisted steering apparatus of any one of claims 3 to 5 in which the claim 3 wherein said speed mapping device means is arranged to generate, from [[the]] said torque limit increase signal, [[the]] said torque limit to be passed to [[the]] said torque limiting device means.
- 7. (Currently Amended) [[The]] An electric power assisted steering apparatus of claim 6 in which the wherein said speed mapping device means is arranged to calculate [[the]] a torque limit as increasing linearly at [[the]] said torque limit increase rate.
- 8. (Currently Amended) [[The]] <u>An</u> electric power assisted steering apparatus of claim 6 in which the wherein said torque limit increases non-linearly.
- 9. (Currently Amended) [[The]] <u>An</u> electric power assisted steering apparatus of claim 8 in which wherein said the rate at which [[the]] <u>said</u> torque limit increases increases with time.

- 10. (Currently Amended) [[The]] An electric power assisted steering apparatus of claim 8 or claim 9 in which the wherein said speed mapping device means includes an intermediate value generating device means and a non-linear mapping device means, where [[the]] said intermediate value generating device generates an intermediate value which increases linearly at [[the]] said torque limit increase rate and [[the]] said non-linear mapping device means is arranged to map [[the]] said intermediate value to generate [[the]] said torque limit using a non-linear map.
- 11. (Currently Amended) [[The]] An electric power assisted steering apparatus of claim 10 in which [[the]] said map is defined by at least three points defining [[the]] a relationship between [[the]] said intermediate value and [[the]] said torque limit at those points, and in which successive pairs of points in increasing intermediate value [[may]] have an increasing gradient between them.
- 12. (Currently Amended) The electric power assisted steering apparatus of any preceding claim <u>claim 1</u> further comprising filter means, to <u>a</u> filter to filter the measured vehicle speed, [[the]] <u>said</u> filter means being a low pass filter.
- 13. (Currently Amended) An electric power assisted steering apparatus of any preceding claim 1 further comprising an offset device means, which take as an input the torque limit and combine the torque limit with an additive offset.
- 14. (Currently Amended) An electric power assisted steering apparatus of any preceding claim 1 further comprising a cap device means, which cap the torque limit to a maximum value.

- 15. (Currently Amended) An electric power assisted steering apparatus for a vehicle having a steering wheel and road wheels, comprising: a steering mechanism, which operatively connects [[a]] said steering wheel to [[the]] said road wheels of [[the]] said vehicle; an electric motor operatively connected to [[the]] said steering mechanism; a torque sensing device means adapted to produce a first output signal indicative of [[the]] a torque carried by a portion of [[the]] said steering mechanism; a signal processing unit adapted to receive [[the]] said first signal and to produce a torque demand signal representative of a torque to be applied to [[the]] said steering mechanism by [[the]] said motor; and a motor drive stage adapted to provide a drive current to [[the]] said motor responsive to [[the]] said torque demand signal, in which the wherein said apparatus includes a torque limiting device means, arranged to limit the magnitude of [[the]] said torque to be applied to [[the]] said steering mechanism to a maximum of a value that increases from a first value to a second value at a rate that varies with time.
- 16. (Currently Amended) [[The]] <u>An</u> electric power assisted steering apparatus of claim 15 in which [[the]] <u>said</u> torque limiting <u>device</u> <u>means</u> is arranged to limit the magnitude of [[the]] <u>said</u> torque when [[the]] <u>said</u> apparatus is powered-up.
- 17. (Currently Amended) [[The]] An electric power assisted steering apparatus of claim 15 or claim 16 in which wherein said rate at which [[the]] said torque limit increases increases with time.
- 18. (Currently Amended) [[The]] An electric power assisted steering apparatus of any one of claims 15 to 17 claim 15 in which [[the]] said torque limiting device means includes an intermediate value generating device means and a non-linear mapping device means, in which the wherein said intermediate value generating device means is arranged to generate an intermediate value that increases linearly at a torque limit increase rate and [[the]] said non-linear mapping device means is arranged to map [[the]] said intermediate value to generate [[the]] said torque limit

using a non-linear map.

- 19. (Currently Amended) [[The]] An electric power assisted steering apparatus of claim 18 in which the wherein said map is defined by at least three points defining [[the]] a relationship between [[the]] said intermediate value and [[the]] said torque limit at those points, in which successive pairs of points in increasing intermediate value have an increasing gradient between them.
- 20. (Currently Amended) [[The]] An electric power assisted steering apparatus of any one of claims 15 to 19 claim 15 further comprising a vehicle speed sensor sensing means for producing a second output signal indicative of [[the]] a speed of [[the]] said vehicle, in which [[the]] said rate at which [[the]] said torque limit increases is dependent upon [[the]] said second output signal.

Claims 21-38 (Cancelled)